



AGF series aerosol generator with built-in pump

Benefits

- Exact adjustment of the operating parameters
- Number concentration (CN) can be varied by the factor 10
- Particle size distribution remains virtually constant, if CN is modified
- Number distribution maximum is within the MPPS range
- Virtually no power losses
- Optimal concentration, no coagulation losses
- Resistant to numerous acids, bases, and solvents
- Robust design, stainless steel housing
- Easy to operate
- As opposed to the collision method, the AGF 2.0 does not generate any particles $> 2 \mu\text{m}$ thanks to its cyclone.
- Due to the fact that the AGF generates virtually no droplets $> 2 \mu\text{m}$, the consumption of materials is very low, thus ensuring a long dosing time.
- With the use of DEHS the mean particle size is within the MPPS range for HEPA/ULPA filters

Applications

- **Clean room technology**
 - Acceptance tests and leak tests as per ISO 14644 and VDI 2083
 - Leak tests, fit testing
 - Recovery tests
- **Filter testing, quality control**
 - Filter cartridges
 - Car interior filters
 - Filter media, particulate air filters
 - Aerosol generation for MPPS determination of HEPA/ULPA filters
- **Tracer particles**
 - Inhalation experiments
 - Optical flow measurement procedures with positive pressure values of up to 10 bar (model version AGF 2.0 D)
 - LDV
- **Calibration of counting particle measurement methods**
 - Nebulization of latex suspensions $< 1 \mu\text{m}$
- **Smoke detector test**



<https://www.palas.de/product/agf2ip>

Datasheet

Parameter	Description
Volume flow	16 – 18 l/min
Power supply	115 – 230 V, 50 – 60 Hz
Dimensions	300 • 330 • 240 mm
Weight	approx. 15 kg
Particle material	DEHS, DOP, Emery 3004, paraffin oil, other non-resinous oils
Dosing time	> 24 h
Mass flow (particles)	< 2 g/h (DEHS)
Compressed air connection	No
Aerosol outlet connection	Ø _{inside} = 6 mm, Ø _{outside} = 8 mm
Mean particle diameter (number)	0.25 µm
Biggest particle diameter	2 µm
Filling quantity	300 ml

Palas GmbH
 Partikel- und Lasermesstechnik
 Greschbachstrasse 3 b
 76229 Karlsruhe
 Germany

Managing Partner:
 Dr.-Ing. Maximilian Weiß
Commercial Register:
 register court: Mannheim
 company registration number: HRB 103813
 USt-Id: DE143585902



Contact: E-Mail: mail@palas.de Internet: www.palas.de Tel: +49 (0)721 96213-0 Fax: +49 (0)721 96213-33