

AQ GUARD SMART 2000 AIR QUALITY MEASUREMENT

Monitoring of Ultra-Fine Particles

Made in Germany

Precise Monitoring of Ultra-Fine Dust with AQ GUARD SMART 2000

Ultra-fine particles (UFP) significantly impact our health – confirmed by the World Health Organization (WHO). However, optical aerosol photometers or spectrometers can hardly or not at all detect them due to their small size.

AQ GUARD SMART 2000 was specially designed for use in the ultra-fine particle range. The compact and easy-to-use measuring device closes the gap between classical condensation particle counters (CPC) and optical systems and convinces by its price-performance ratio.

The **AQ GUARD SMART 2000** is suitable as a quality control instrument to check and compare concentrations or detect trends and deviations.

Long-term measurements for the evaluation of number concentrations indoors and outdoors are thus easily and reliably possible, for example, at highly polluted locations such as seaports and airports, main roads, forwarding agencies, or even toll and border stations. But the AQ GUARD SMART 2000 is also used for formation and dispersion studies.



Application Examples



SEAPORTS



SMART CITY



TRAFFIC JUNCTIONS





INDUSTRIAL PLANTS



DISPERSION STUDIES

Principle of Operation

AQ GUARD SMART 2000 is a reliable instrument for simple yet accurate monitoring of particle number concentrations for UFP working fluids.

AQ GUARD SMART 2000 is low-maintenance and runs smoothly over more extended periods of time without recalibration. Data transfer options are versatile, ranging from USB, Ethernet (LAN), Wi-Fi, 3G/4G via modem to LoRaWAN (optional).

AQ GUARD SMART 2000 is MYATMOSPHERE-ready. A connection to the Palas Cloud MYATMOSPHERE offers additional advantages. Operators (private or governmental) can thus retrieve current measured values directly and compare them directly with other devices. Via an optional programming interface (API), MYATMOSPHERE can also be integrated into your own environments.



Special Advantages and Benefits

LATEST TECHNOLOGY

- Simple and accurate monitoring of particle number concentration for UFP
- Fast commissioning and immediate acquisition of measured values via the MYATMOSPHERE cloud
- Situational configuration via Wi-Fi hotspot, remote access as well as external touchpad
- Communication via GPRS / 3G / 4G / Ethernet / Wi-Fi, optional: LoRaWAN
- Expandable with weather station

DIFFERENT MEASUREMENTS

- Measurement of particle concentration as well as LDSA (Lung Deposited Surface Area)
- Measuring range number $C_N > 1,000$ particles/cm³ as well as size from 0.01 µm
- Measuring principle of diffusion charging

BEST PRICE-PERFORMANCE RATIO

• Reliable alternative or supplement to CPC and SMPS systems

Technical Features

| Measuring principle | Diffusion charging |
|--|--|
| Reported data | $C_{_N}$, average diameter X50, pressure, temperature, relative humidity |
| Measurement range (number C _N) | 1,000–10 ⁷ particle/cm ³ |
| Measurement range (size) | 0.01–1 μm |
| Interfaces | USB, Ethernet (LAN), Wi-Fi, 3G/4G via modem, optional: LoRaWAN |
| Protocols | UDP, ASCII, Modbus |
| Data Management | Prepared for connection to the Palas Cloud MyAtmosphere ("MyAtmosphere-ready")* |
| Installation conditions | 0-+40 °C |
| Dimensions (H • W • D) | 530 • 270 • 208 mm |
| Weight | Approx. 6 kg |
| Special features | Heated inlet, mast / tripod mount |

More Measurement Devices

... for air quality monitoring in real time.

In addition to the AQ GUARD SMART 2000, the AQ GUARD SMART SYSTEM consists of the AQ GUARD SMART 1000, the AQ GUARD SMART 1100 as well as the AQ GUARD SMART 1200*. The MCERTS Indicative certified particulate matter devices can detect PM_1 , $PM_{2.5}$, PM_4 , PM_{10} , TSP (optional: SO_2 , NO_2 , O_3 , CO, TVOC, CO_2).

... for precise nanoparticle measurements.

Our nanoparticle measurement systems UF-CPC and ENVI-CPC measure the number concentration of ultra-fine aerosols from D50= 4 nm , alternatively according to CEN/TS 16976:2016 from D50= 7 nm resp. 10 nm.







As an aerosol technology expert, Palas[®] Germany is committed to providing users with solutions for the generation, conditioning, measurement and analysis of aerosol particles. Based on the unique advantages of its own technology, Palas[®] developed a variety of application cases in ambient air quality monitoring, particle filtration performance testing and various scientific research fields. Palas Instruments (Shanghai) Co., Ltd. is a wholly owned subsidiary of Hong Kong Palas (Asia) Limited. As one of the global branches of Palas GmbH, it has legally obtained the Palas trademark authorized by Palas GmbH in Exclusive use rights in China and Asia.

As a company that has passed the ISO 9001:2015 quality management system certification, Palas[®]'s test rig solutions can execute particle filtration performance tests for filter media and filter elements according to applicable international, national and regional standards. In terms of environmental protection, Palas[®]'s equipment meets the requirements of multiple environmental monitoring standards (EN 15267, EN 16450, HJ653, GBZ/T 192.6, etc.) for indoor and ambient PM2.5, PM10, particle number size distribution monitoring and analysis.

Palas (Asia) Limited, Hong Kong

Operational Office Address: Palas Instruments (Shanghai) Co., Ltd. 5th Floor, Building 6C, No. 650 Shunqing Rd, Song Jiang District, 201612 Shanghai Hotline: +86 400 784 6669 Email: info@palas.com.hk Website: www.palas.de/en